

## JIANGHAO GENERATOR

Genset		
Model	JHW5-1800GF	
Voltage	400/230V	
Frequency&Speed	50HZ 1500RPM	
Prime Power	1787kW/2233kVA	
Standby Power	1989kW/2486kVA	

# Engine: Baudouin 12M55D2210E310

Alternator:Stamford/Leroy Somer

# /Hengsheng

Controller:DeepSea/SmartGen

## /DEIF/ComAp

## **General Engine Data**

No.of Cylinders:	12	Displacement:	65.65L
Bore:	180mm	Lube oil:	380L
Storke:	215mm	Consumption:	201g/kw.h
Ratings Definitions	Operating condition		
	1.Unlimited using tim	e per year	
СОР	2.Continuous power i	s the maximum powe	er available at a
	constant load factor		
	3.No overload capabi	lity is allowed.	
	1.Unlimited using tim	e per year	
PRP 2.The average load rate is no more than 70% over 24 hours			)% over 24 hours
	3.Overloading 10% fo	or 1h within 12 hours	of operation is allowed.
<ol> <li>The annual operating time shall not exceed 200h</li> <li>The average load rate shall not exceed 70% over24h operation</li> <li>Cycle</li> </ol>			eed 200h
			0% over24h operation
	3.No overload capability is allowed;\		
	4.The acceleration of starting of diesel engines are carried out in		
	accordance with Q/WCG136.13, and there' s no engine		
	process. From acceler	ation of starting to ca	alibration speed shall
ESP be completed within 10s. Natural aspirated diesel engine, when		d diesel engine, when	
	the environment temperature is below $5^{\circ}$ C, need to increase		
preheat facilitie		ities to ensure that diesel engine water temperature	
above 30°C. When environment temperature over 5°C, no			ire over 5°C, no
	preheating facilities a	re required.	
	Supercharged diesel	engine, when the env	ironment
	temperature is below	10°C, need to increas	se preheat facilities to
	ensure that diesel eng	gine water temperatu	re above 30°C. When
	environment tempera	nture over 10°C, no pr	eheating facilities are
	required.		



/		
LTP	1.No ability to overload;	
	2. The annual operating time shall not exceed 500h while	
	supplying a variable electrical load.	
DCP	1.It has 10% overload capacity	
	2.Annual run time is unlimited;	
	3.Working under variable or continuous load of less than 100%	
	4.The power load shall not exceed 70% of the calibration power	
	when the device is running continuously.	
Descriptions	1.All ratings are based on operating conditions under ISO 8528-1,	
	ISO 3046, DIN6271. Performance tolerance of $\pm 5\%$ .	
	2.Test conditions : 100 kPa, 25°C air inlet temperature, relative	
	humidity of 30%, with fuel density 0.84 kg/L. Derating may be	
	required for conditions outside these; please contact the factory	
	for details.	
	3.Power output curves are based on the engine operating with	
	fuel system, water pump and lubricating oil pump, without	
	battery charging alternator, fan and optional equipment.	

## Alternator

Pole No.	4-Pole
Exciter Type	Single bearing, Brushless, Self-excited
Power factor	0.8
Voltage adjust range	$\leq 5\%$
Insulation Grade	Н
Protection Grade	IP23/22
Phase / wire	3 phase 4 wires

- ♦ NEMAMG1.JIANGHAO, and ANSI standards compliance for temperature rise and motor starting.
- $\diamond$  Sustained short-circuit current of up to 300% of the rated current for up to 10 seconds.
- ♦ Sustained short-circuit current enabling down stream circuit breakers to trip without collapsing the generator field.
- $\diamond \quad {\sf Self-ventilated and dripproof construction}.$
- $\diamond$  Superior voltage waveform from two-thirds Pitch windings and skewed stator.
- ♦ Digital solid-state.volts-per-hertz voltage Regulator with +1% no-load to full-load regulation.



### **Control Panel**



The control module gives digital readouts of: Generator voltage; Output frequency; Engine speed;

Battery voltage;

Engine hours run.



Dimension:6800\*2500\*2600mm Weight:15500kg



Dimension:12000\*2400\*2900mm Weight:19300kg Fuel Tank Capacity:1000-3000L The **control panel** is an Digital Control Module suitable for a wide variety of single, diesel or gas, gen-set applications.

Monitoring an extensive number of engine parameters, the module will display warnings, shutdown and engine status information on the back-lit LCD screen and illuminated LEDs.

# The control module has indicators for failure information:

Over speed/Low speed, Emergency stop Low oil pressure; High water temperature Failure to start Battery charger failure

#### Automatic shutdown occurs under:

Low engine oil pressure; High engine water temperature; Over speed/Low speed; Failure to start after three attempts.

#### **Electrical system**

- Maintenance-free and anti-explosion battery
- Standard breaker
- ABB breaker (optional)
- ATS (optional)
- Battery charger (optional)
- GMS monitoring (optional)

#### Packing

- Wrapping film packaging
- Tray packaging
- plywood box packaging

#### Jiangsu Jianghao Generator Co.,Ltd

Address: No.1 Xixu Road, Medical High-tech Zone,

Taizhou city, Jiangsu, China Contact Person: Anthony Feng Email: <u>ihfsale@jhgenerator.com</u> WhatsAPP: +86 18652649673

